

THE RANGE · 2026 · PRODUCT CATALOG

Pure water, drawn from air.

Ten atmospheric water generators — from 8 L desktop units to 200 L commercial cabinets, marine-grade vessels, and all-in-one purifier / dehumidifier / dispenser hybrids. One trusted Australian name. One simple idea.

10

MODELS

8–200 L

DAILY OUTPUT

4

FINANCE PARTNERS

AUS

SUPPORT

01 • INTRODUCTION

Your own water utility, on the kitchen bench.

The air in an average Australian home holds more drinkable water than any family could ever use. Forever Water captures it, cleans it, chills it, and serves it. No bottles. No plumbing. No recurring delivery bill.

The problem

Australians drink the equivalent of 726 million plastic water bottles each year. Tap quality varies by postcode. Filter jugs run out on Sundays. Bottled-water delivery is expensive, inconsistent, and logistically absurd.

The idea

Atmospheric Water Generators (AWGs) condense moisture out of the air, then filter it through multi-stage purification and UV sterilisation. The result is premium drinking water, produced where it is drunk, from a resource that replenishes itself every hour.

The range

Ten models cover everything from a single-person desk unit to a 200 L/day cabinet for a café, an RO-grade floor-standing home dispenser with hot/cold, a marine-grade vessel for offshore fleets, and a hybrid that purifies the air while it makes the water.

12 quintillion

Litres of water in earth's atmosphere — 10× all surface freshwater

~70%

Of Australian households already filter their tap water

\$0

Recurring plumbing, bottle or delivery fees, forever

Why it matters now

Forever Water builds machines for a grid-independent future. Every unit in this catalog runs on standard 240 V power — the same socket that charges a laptop. Pair one with a Forever Solar system and your drinking water is powered, produced and stored entirely on-site. Zero plumbing, zero bottle waste, zero delivery trucks.

ONE BRAND, TWO SIDES OF THE HOUSE

Forever Water and Forever Solar operate under a single Australian business (ABN 29 661 135 682) with four approved finance partners — Brighte, Humm, Plenti and HandyPay. One application, one installer network, one support line for the whole home-energy stack.

02 · AT A GLANCE

The range.

Ten machines, three tiers. Pick by output (litres per day), form factor (desktop, floor, marine), or by the things they do besides making water.

DESKTOP · RESIDENTIAL

A10

10 L Desktop

Compact · Kitchen-bench AWG

OUTPUT	TANK
10 L/D	1.2 L cold

T8

8 L Desktop

Minimalist · Single-person / office

OUTPUT	TANK
8 L/D	6.5 L

L28

28 L Floor

Family · Tower-style dispenser

OUTPUT	TANK
28 L/D	9 L

HYBRID · ALL-IN-ONE DISPENSERS

K200

35 L · AWG + air purifier

UV · Dehumidifier · Purifier · AWG

OUTPUT	TANK
35 L/D	9.5 L

KZLN-L1

20 L Quad-function

Air-to-water · Heating · Sterilisation

OUTPUT	TANK
21 L/D	20 L

SP-23A1

36 L Smart hybrid

Air + water · Boiling · Cup steriliser

OUTPUT	TANK
36 L/D	16 L

COMMERCIAL · MARINE · INDUSTRIAL

K300

35 L Hot/Cold floor

Hot & cold dispense · LCD

OUTPUT	TANK
35 L/D	—

K400

70 L RO tower

Quadruple RO · H13 HEPA · double UV

OUTPUT	TANK
40–70 L/D	—

K400C

Marine 70 L

Marine-grade · corrosion resistant

OUTPUT	TANK
70 L/D	—

K500

180 L Cabinet

HEPA + 4-stage + UVC

OUTPUT	TANK
200–360 L/D	50 L

Every model detailed on the following pages. Full range online at foreverwater.com.au · 0435 997 768 · hello@foreverwater.com.au

03 · TECHNOLOGY

From humid air to healthy water.

Every Forever Water unit follows the same four-step process. The steps scale — a desktop A10 and a 200 L commercial K500 use identical physics; only the cabinet, compressor, and tank get bigger.

01

Intake & filter

Ambient air is drawn through a medium-efficiency composite filter, then (on hybrid models) a HEPA or H13 stage. Dust, pollen and particulate matter are removed before the moisture is extracted.

02

Condense

A piston compressor and a refrigerated coil chill the air below dew-point. Water droplets form on the coil, collect, and drop into the stainless collection tank.

03

Purify

Collected water runs through multi-stage filtration — PAC, Ultra-Filtration, Carbon Block (and on some models, RO and mineralisation). Solids, chlorine, heavy metals and harmful substances are removed.

04

Sterilise & store

A UVC lamp at 253.7 nm sterilises the purified tank continuously. The water is held cold (or hot, on heated models) and stays fresh through automatic recirculation.

Purification stages by model

A10	Air filter · PAC + UF + CB · UVC
T8	Air filter · UF + C2 · Sterilisation
L28	Air filter · PP + RO + C2 · UVC
K200	HEPA H11 + 0.01 µm UF · UVC · Mineral retention
K300	Air dehumid. + UF + UV · Hot/Cold
K400	Pre-filter + H13 HEPA + Carbon · Composite + RO + Post-carbon · Dual UV
K400C (Marine)	Marine-grade metal · 4-stage filter · Dual UV · Corrosion resistant
K500	4-stage PPC + CB + UF (0.01 µm) + Carbon · HEPA · UVC
KZLN-L1	Air-to-water · Air purif. · Dehumid. · Water heat + 5 W air + 16 W water UV
SP-23A1	Strontium-enriched · 7-stage water · 3-stage air · UV 253.7 nm ozone-free

NOTE · STERILISATION WAVELENGTH

All Forever Water UVC lamps operate at 253.7 nm — the wavelength at which ultraviolet light maximally disrupts microbial DNA. Lamps are ozone-free and certified for potable water contact.

04 · RESIDENTIAL · DESKTOP

A10

The kitchen-bench atmospheric water generator. 10 litres a day, a 1.2 L cold tank, and the smallest cabinet in the range.

DESKTOP


PAC + UF + CB

UVC sterilisation

R134a refrigerant

Piston compressor

Designed for the Australian family kitchen. The A10 sits quietly on a benchtop, pulls moisture from indoor air, and runs it through three stages of filtration before holding it cold in a UV-sterilised drinking tank. No plumbing connection. No refill trips. Unbox, level, wait four hours, and pour.

Model	A10 / KZLN-YY-10-A1
Rated water output	10 L/day @ 30 °C / 80% RH
Cold drinking tank	1.2 L (12–16 °C)
Collection tank	3.8 L
Power supply	220–240 V · 50 Hz
Rated power (water)	230 W
Rated total power	245 W
Compressor	Piston type · R134a · 80 g
Air filtration	Medium-efficiency composite
Water purification	PAC + UF + CB
Germicidal	UVC
Operating env.	5–32 °C · 35–90% RH
Dimensions	440 × 260 × 480 mm
Net weight	14 / 17 kg


Water from air

No plumbing, works anywhere with a power point


4-stage safety

Air filter + PAC + UF + CB + UVC


Energy-efficient

10 L/day for 245 W total draw


Stable output

High-efficiency piston compressor


Dual tanks

3.8 L collection + 1.2 L drinking


Fits any bench

440 × 260 × 480 mm footprint

5–32 °C

OPERATING TEMP

≥35% RH

HUMIDITY

10 L/D

RATED OUTPUT

1.2 L

COLD TANK

FINANCE READY Spread the cost via Brighte · Humm · Plenti · HandyPay. foreverwater.com.au/finance

05 · RESIDENTIAL · DESKTOP

T8

A soft-edged, white-cabinet desktop AWG with a transparent tank and a 6.5 L reserve. Built for single-person offices, studios and second-bench rooms.

DESKTOP


2-stage UF + C2

Transparent tank

Room temperature

Self-cleaning

The T8 is the quietest, softest-looking unit in the range. A translucent water column lets you see the level at a glance, while the air + water multi-stage safety system keeps every glass clean. Timed UV sterilisation runs automatically — no routine cleaning required.

Model	T8
Rated water output	8 L/day @ 27 °C / 60% RH
Water tank	6.5 L
Power supply	1PH 220 V · 50 Hz
Rated power (water)	190 W
Refrigerant	R134a
Water temperature	Room temperature
Water purification	2-stage (UF + C2)
Operating env.	15–40 °C · ≥35% RH
Dimensions	390 × 272 × 480 mm
Net weight	17 kg

 **Sleek design**
Modern, compact, fits any space

 **Dual purification**
Air + water multi-stage safety

 **Self-cleaning**
Timed UV sterilisation

 **Water from air**
Pure drinking water anywhere

 **Energy efficient**
Off-peak mode: 3–5 L per kWh

 **Smart & visible**
Transparent tank, real-time level

15–40 °C

OPERATING TEMP

≥35% RH

HUMIDITY

8 L/D

RATED OUTPUT

6.5 L

WATER TANK

FINANCE READY Spread the cost via Brighte · Humm · Plenti · HandyPay. foreverwater.com.au/finance

06 · FAMILY · FLOOR-STANDING

L28

A floor-standing 28 L/day family unit. Tall, slim, and unobtrusive — built for household drinking water at scale.

FAMILY


PP + RO + C2

Hot/Cold ready

Ergonomic design

Off-peak mode

For households or small offices that out-grow a benchtop unit, the L28 steps up to 28 L per day with a 9 L water tank — enough for a family of four with coffee, cooking and tea. Water quality exceeds Australian drinking standards; no heavy metals or bacteria detected in testing.

Model	L28
Rated water output	28 L/day @ 30 °C / 80% RH
Water tank	9 L
Power supply	1PH 220 V · 50 Hz
Rated power (water)	360 W
Refrigerant	R134a
Water temperature	Room temperature
Water purification	3-stage (PP + RO + C2)
Operating env.	15–40 °C · ≥35% RH
Dimensions	455 × 333 × 923 mm
Net weight	45 kg


Plug-and-play

No plumbing · produces water once powered on


Safe & reliable

No heavy metals or bacteria detected


Ergonomic

Sleek, user-friendly cabinet design


Smart & efficient

Off-peak mode yields ~3–4 L per kWh


All-in-one

Triple air + 5-stage water purification


28 L/day

Sized for family-of-four drinking water

15–40 °C

OPERATING TEMP

≥35% RH

HUMIDITY

28 L/D

RATED OUTPUT

9 L

WATER TANK

FINANCE READY Spread the cost via Brighte · Humm · Plenti · HandyPay. foreverwater.com.au/finance

07 · HYBRID · MULTI-FUNCTION

K200

Air purifier · dehumidifier · water generator — one machine. Engineered for Australian humidity and Australian health standards.

HYBRID


HEPA H11

0.01 µm UF

R290 eco-refrigerant

Zero wastewater

The K200 is three machines in one cabinet. It dehumidifies the room, purifies the air through a 0.01 µm ultra-filtration stage + HEPA H11 (removing 12 common household pollutants), and condenses the moisture into weakly-alkaline mineral drinking water. Continuous UV sterilisation prevents bacterial regrowth.

Model	K200
Rated water output	35 L/day @ 30 °C / 80% RH
Water tank	9.5 L
Rated voltage	220 V · 50 Hz
Water-making power	475 W
Maximum power	505 W
Material	Metal
Refrigerant	R290 · 150 g
Noise	≤ 55 dB
Climate type	T1
Dimensions	430 × 370 × 260 mm
Net weight	38 kg


Water from air

No source, works indoors or outdoors


Advanced filter

0.01 µm UF + HEPA H11


UV sterilisation

Prevents bacterial regrowth


Stable output

High-efficiency piston compressor


Mineral retention

Weakly alkaline mineral water


Eco-friendly

R290 refrigerant · zero wastewater

15–38 °C

OPERATING TEMP

≥35% RH

HUMIDITY

35 L/D

RATED OUTPUT

9.5 L


WATER TANK

FINANCE READY Spread the cost via Brighte · Humm · Plenti · HandyPay. foreverwater.com.au/finance

08 · RESIDENTIAL · FLOOR-STANDING

K300

A tall, LCD-controlled floor dispenser with adjustable hot and cold water — the family AWG that replaces the kettle.

FLOOR


Hot/Cold

LCD display

Core-change reminder

Quiet ≤ 65 dB

Four functions in a single floor-standing cabinet: atmospheric water generator, dehumidifier, air purifier, and water purifier. Hot/cold dispense with adjustable temperature settings, an LCD display with core-change reminders, and an operating noise ceiling of 65 dB make the K300 the easy choice for family rooms and home offices.

Model	K300
Rated water output	35 L/day @ 30 °C / 80% RH
Rated voltage	220 V · 50 Hz
Water-making power	500 W
Maximum power	2500 W
Heating power	2500 W
Suction/discharge	0.63 / 1.7 MPa
Material	Metal
Noise	≤ 65 dB
Climate type	T1
Dimensions	330 × 430 × 1375 mm
Net weight	51 kg


All-in-one AWG

Atmospheric · dehumid. · air
+ water


Hot & cold

Adjustable dispense
temperature


Broad applicability

Home · office · hospitality


Convenience

No traditional water source ·
plug and use


User-friendly

LCD display + core-change
reminder


High daily output

Premium water anywhere,
indoors or out

5-40 °C

OPERATING TEMP

≥35% RH

HUMIDITY

35 L/D

RATED OUTPUT

≤65 dB

NOISE LEVEL

FINANCE READY Spread the cost via Brighte · Humm · Plenti · HandyPay. foreverwater.com.au/finance

09 · COMMERCIAL · FLOOR-STANDING

K400

Quadruple-stage RO purification meets H13 HEPA air filtration in a mobile, casterwheel cabinet. The premium home or small-commercial tower.



RO purification

H13 HEPA air

Double UV

Child lock

The K400 is built for people who want RO-grade drinking water without plumbing. Quadruple purification (composite + RO + post-activated carbon) handles the water; H13-grade pre-filter + HEPA + activated carbon handle the air. Two independent UV lamps sterilise the tank and the faucet. Universal casters make it portable; a child lock makes it safe.

Model	K400
Rated voltage	220 V · 50 Hz
Rated power	800 W
Maximum power	2800 W
Heating power	2000 W
Water output	40–70 L/day (varies by T/RH)
Housing	Metal
Noise	≤ 40 dB(A)
Purification	Pre-filter + H13 HEPA + Carbon
Sterilisation	RO Double UV (tank + faucet)
Dimensions	430 × 370 × 1260 mm
Net weight	65 kg



Air-to-water

Integrated dehumid., purif., direct drinking



H13 triple air

Pre-filter + HEPA + Activated carbon



TDS display

Live water-quality readout · Hot/Cold



Quadruple RO

Composite + RO + Post-activated carbon



Double UV

Separate tank + faucet sterilisation



Highly portable

Universal casters · child lock

15–40 °C

OPERATING TEMP

≥35% RH

HUMIDITY

40–70 L

DAILY OUTPUT

≤40 dB

NOISE LEVEL

FINANCE READY Spread the cost via Brighte · Humm · Plenti · HandyPay. foreverwater.com.au/finance

10 · INDUSTRIAL · MARINE

K400C Marine

The K400 platform, re-engineered for saltwater environments. Marine-grade corrosion-resistant metal cabinet. Shipboard-customisable power.

MARINE


Marine-grade steel

Corrosion resistant

Shipboard power

Wooden crate pack

Over 80% of crew illnesses at sea stem from unhygienic fresh water. Seawater desalination is salty and energy-heavy; stored freshwater degrades in weeks; bottled water occupies space and generates waste. The K400C replaces all three — pulling 70 L of fresh drinking water a day from sea air, with no pipelines, no storage, and no procurement.

Model	K400C
Rated voltage	220 V · 50 Hz (shipboard-
Rated power	800 W
Max. power (heating)	2800 W
Heating power	2000 W
Daily water output	70 L (varies by T/RH)
Water output modes	Cold · hot · household
Noise	≤ 40 dB(A)
Housing	Marine-grade metal
Dimensions	430 × 370 × 1260 mm
Packing	500 × 440 × 1430 mm (wooden crate)
Net / gross	65 / 82 kg

 **Air-to-water at sea**
Direct drinking · no desalination required

 **Multi-purpose**
Cold/hot drinking + household water

 **Easy installation**
No pipelines · plug and operate

 **Instant pure water**
70 L/day fresh drinking water from air

 **Space-saving**
430×370×1260 mm frees valuable deck space

 **Perfect for**
Fishing vessels · cargo · yachts · rigs

15–40 °C

OPERATING TEMP

≥35% RH

HUMIDITY

70 L/D

DAILY OUTPUT

Marine

GRADE HOUSING

FINANCE READY Spread the cost via Brighte · Humm · Plenti · HandyPay. foreverwater.com.au/finance

11 · COMMERCIAL · FLOOR-STANDING

K500

The commercial flagship. 200 L/day of drinking water, a 50 L on-board tank, and four-stage PPC+CB+UF+carbon purification — all plumbing-free.


COMMERCIAL — K500

200–360 L/day

50 L tank

HEPA + 4-stage

UVC sterilisation

Cafés, gyms, aged-care facilities and mid-size offices: the K500 produces 200 L of drinking water a day (up to 360 L under ideal atmospheric conditions). Four-stage water purification — PPC composite, activated carbon rod, 0.01 µm UF, final activated carbon — sits behind a HEPA air stage and built-in UVC lamp. 50 L on-board, eco-friendly process, no water wasted.

Model	SZD-K500
Rated water output	200 L/day @ 30 °C / 80% RH
Maximum output	Up to 360 L/day (ideal)
Power supply	AC220V · 50 Hz or AC110V · 60
Rated power (water)	3300 W
Heating power	2000 W
Maximum power	4800 W
Compressor	High-efficiency · R404A /
Noise	< 70 dB
Water tank	50 L
Dimensions	630 × 600 × 1600 mm
Net / gross	140 / 160 kg

 **All-in-one**
Air purifier · dehumidifier · water generator

 **Plug & play**
No plumbing needed — just power

 **Versatile use**
Home · office · outdoor · commercial

 **Zero wastewater**
Eco-friendly, no water discarded

 **Mineral-preserving**
Filters contaminants, retains good minerals

 **Operating env.**
15–38 °C · 35–95% RH

15–38 °C

OPERATING TEMP

35–95% RH

HUMIDITY

200–360 L

DAILY OUTPUT

50 L

ONBOARD TANK

FINANCE READY Spread the cost via Brighte · Humm · Plenti · HandyPay. foreverwater.com.au/finance

12 · HYBRID · FLOOR-STANDING

KZLN-L1

Four functions in one stainless cabinet — air-to-water, air purification, dehumidification, water heating — with dual water + air sterilisation.

QUAD



Small-molecule cluster

Alkaline water

Dual sterilisation

Tea-house ready

The L1 targets the household that wants tea and drinking water on-demand. Microcomputer auto-control, a 20 L storage tank, 21 L daily output, and integrated kettles on top. Zero chemical sterilisation, no pesticides, no heavy metals — just dual water + air UV and a multi-stage purifier.

Model	KZLN-YY-20-L1
Rated water output	21 L/day @ 30 °C / 80% RH
Water storage	20 L
Core functions	4-in-1 · water · air · dehumid.
Auxiliary	Heating · dual UV sterilisation
Power supply	AC 220 V · 50 Hz
Total rated power	1700 W
Heating power	1000 W
Water-making power	400 W
Water-path UV	16 W
Air sterilisation	5 W
Dimensions	500 × 400 × 750 mm
Net weight	42 kg

 **Quad function**
Air-to-water · Purif. ·
Dehumid. · Heating

 **Advanced quality**
Small-molecule cluster +
alkaline + activated

 **Smart touch**
Microcomputer auto-control

 **Water independence**
Generates water from air —
no source required

 **Plug-and-play**
Produces water instantly on
power-up

 **Health & safety**
Zero chemicals · dual water
+ air UV

5-45 °C

OPERATING TEMP

10-100% RH

HUMIDITY

21L/D

RATED OUTPUT

20 L

WATER TANK

FINANCE READY Spread the cost via Brighte · Humm · Plenti · HandyPay. foreverwater.com.au/finance

13 · HYBRID · SMART DISPENSER

SP-23A1

A smart air-to-water machine with 7-stage filtration, strontium-enriched mineralisation, cup sterilisation, water boiling, and a 3-year warranty.

SMART


7-stage filter

Sr²⁺ mineral

Cup steriliser

3-yr warranty

The SP-23A1 is the premium hybrid. Full automatic control, 36 L/day from ambient air, output water complies with GB 5749-2022 drinking water standard. Ozone-free 253.7 nm UV, 3-stage air purification, 4-stage water treatment, and cup sterilisation for the kettles on top. 3-year warranty included.

Model	SP-23A1-C15J-B
Brand	Smart Air-to-Water Dispenser
Control method	Fully automatic
Water output	36 L/day @ 27 °C / 60% RH
Water quality	GB 5749-2022 compliant
Water storage	16 L
Operating humidity	≥ 15% RH
Operating temp.	5–40 °C
UV wavelength	253.7 nm (ozone-free)
Total rated power	2750 W
Water + heating	735 W + 1350 W
Steriliser pot	600 W
Air purification	65 W · 3 stages
Water treatment	4 stages
Dimensions	540 × 430 × 810 mm
Net weight	45 kg

 **Water from air**
No water source · works outdoors

 **Fresh drinking**
7-stage filter + UV + Sr²⁺ enrichment

 **Smart multi-function**
Water + air purification · heating

 **Water freedom**
Makes water from air — no source needed

 **Health assurance**
GB 5749-2022 · mineralised output

 **Worry-free service**
3-year warranty

5–40 °C

OPERATING TEMP

≥15% RH

HUMIDITY

36 L/D

RATED OUTPUT

16 L

WATER TANK

FINANCE READY Spread the cost via Brighte · Humm · Plenti · HandyPay. foreverwater.com.au/finance

14 • COMPARISON

Choose your machine.

One page. Ten models. Pick by output, form factor, or the extras that matter most — RO purification, hot water, marine grade, or a cup steriliser for the kettle.

MODEL	TYPE	OUTPUT	TANK	PURIF.	HOT	COLD	AIR	MARINE
A10	Desktop	10 L/D	1.2 L	PAC+UF+CB	—	●	—	—
T8	Desktop	8 L/D	6.5 L	UF+C2	—	—	—	—
L28	Floor	28 L/D	9 L	PP+RO+C2	—	—	—	—
K200	Hybrid	35 L/D	9.5 L	HEPA+UF	—	—	●	—
K300	Floor	35 L/D	—	UF+UV	●	●	●	—
K400	Commercial	70 L/D	—	RO+HEPA	●	●	●	—
K400C	Marine	70 L/D	—	RO+HEPA	●	●	●	●
K500	Commercial	200 L/D	50 L	4-stage	●	●	●	—
KZLN-L1	Hybrid	21 L/D	20 L	Quad	●	—	●	—
SP-23A1	Smart	36 L/D	16 L	7-stage	●	—	●	—

Quick picks

SINGLE-PERSON DESK

T8

Quiet, sleek, 6.5 L tank. Fits a studio desk or side office.

RO PURIFICATION

K400

The only floor-standing unit with full quadruple-stage RO in this range.

CAFÉ / SMALL COMMERCIAL

K500

200 L a day is ~800 glasses. 50 L on-board tank keeps service uninterrupted.

FAMILY OF FOUR

A10 → L28

Start on the A10 bench unit; step up to the L28 tower when you out-grow it.

TEA HOUSE / HOT WATER

KZLN-L1 or SP-23A1

Boiling, cup sterilisation and mineralised water in the same cabinet.

MARINE / OFFSHORE

K400C

Corrosion-resistant marine-grade metal. Shipboard-customisable power.

15 • OWNERSHIP

Warranty, service & finance.

Backed by an Australian company with a national service network and four approved lenders for point-of-sale finance. Install today, own it forever.

WARRANTY

24 months standard

Every Forever Water machine ships with a 24-month manufacturer warranty against defects in materials and workmanship. Select models (SP-23A1) extend to 36 months. Filter cartridges are consumable and not covered. Keep your tax invoice — it is your proof of purchase.

SERVICE

National network

Call 0435 997 768 or email hello@foreverwater.com.au for parts, replacements, installation help or warranty claims. Have your model number and proof of purchase ready. Service engineers cover every state — metro same-week, regional next-week.

FINANCE

4 approved lenders

Brighte, Humm, Plenti and HandyPay. Instant decisions in most cases. Weekly or monthly payments. Pair with a Forever Solar application and the lender assesses both in one pass — one decision, one set of payments.

Approved finance partners

APPROVED PARTNER

Brighte

Home-improvement lender · up to \$30k, 0% promos available

APPROVED PARTNER

Humm

Buy now, pay later · \$2k–\$30k, up to 60-month terms

APPROVED PARTNER

Plenti

Secured/unsecured personal loans · competitive rates

APPROVED PARTNER

HandyPay

Renovation-specialist lender · fast same-day decisions

COMBINED FINANCE WITH FOREVER SOLAR

Pair any Forever Water unit with a Forever Solar system (ABN 29 661 135 682 · same business) and the lender will assess both as a single application. One decision. One set of payments. One support line for your entire grid-independent home-energy stack.



Pure water, from thin air.

Ten machines. One ABN. An Australian business you
can phone, finance and follow up with.

GET IN TOUCH

foreverwater.com.au

Sales, service & finance · hello@foreverwater.com.au

Phone · 0435 997 768 · Australia-wide

Catalog 2026 · v1.0 · 10 models in the range